

EutroSORB[®] F

Phosphorus Filtration Technology



Stop phosphorus in its tracks

- **Cut off phosphorus at the source**
- **Easy to use – simply place in water**
- **Easily implemented into a variety of aquatic systems**

Calculations

1. EutroSORB F bags contain two filters.
2. Each EutroSORB filter is 25 lbs. and capable of removing approximately 1/4 lb. of phosphorus
3. One pound of phosphorus in water can support 500 pounds of algae growth.

General Use Guide*

Number of filters recommended per month

Water Depth	Small 12 - 18"	Medium 18 - 24"	Large 24 - 36"
1 - 4 inches	1	2	3
4 - 8 inches	2	3	4
8 - 12 inches	3	4	5

*Visit with a SePRO Technical Specialist for information.

Application Tips:

- Can be placed in or near inlets, streams, tributaries, and canals. Can also be incorporated into stormwater treatment systems, drains, and retention basins.
- EutroSORB filters can be removed seasonally.




Contact your SePRO Technical Specialist
or call **1-800-419-7779**. Visit **sepro.com**

SePRO Corporation 11550 North Meridian Street, Suite 600, Carmel, IN 46032. Always read and follow label directions. EutroSORB is a registered trademark of SePRO Corporation. Copyright 2022 SePRO Corporation.

Features:

- Can be implemented in small or large systems
- No equipment necessary for implementation
- Does not impact water chemistry
- Exhausted EutroSORB media can be reused as soil amendment



Optimized Configurations:



Front to back
For twice the
filtration of outflows



Side by side
To cover a large
surface area



Stacked on top
For deep flowing
water systems

Visit the website
to learn more:

